

Atty. Dkt. No. 200311962-1AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

- 1 1. (Original) A method of determining data placement for a distributed storage
2 system comprising the steps of:
3 selecting a heuristic class which meets a performance requirement and
4 which provides a replication cost that is within an allowable limit of a
5 minimum replication cost; and
6 instantiating a data placement heuristic selected from a range of data
7 placement heuristics according to the heuristic class.
- 1 2. (Original) The method of claim 1 wherein the performance requirement comprises
2 a bi-modal performance metric.
- 1 3. (Original) The method of claim 2 wherein the bi-modal performance metric
2 comprises a criterion and a ratio of successful requests to total requests.
- 1 4. (Original) The method of claim 1 wherein the data placement heuristic comprises
2 a computer implemented technique of placing data objects onto nodes of the
3 distributed storage system.
- 1 5. (Original) The method of claim 4 further comprising the step of evaluating a
2 placement of the data objects.
- 1 6. (Currently amended) The method of claim 5 wherein the step of evaluating the
2 data placement heuristic provides a performance result and a cost result for the
3 system configuration and ~~at~~ the workload.
- 1 7. (Original) The method of claim 5 wherein the step of instantiating the data
2 placement heuristic comprises simulating an instantiation of the data placement

Atty. Dkt. No. 200311962-1

3 heuristic.

1 8. (Currently amended) The method of claim 7 further comprising the steps of:
2 selecting a second heuristic class for ~~the~~ workload and a second system
3 configuration;
4 instantiating a second data placement heuristic according to the second
5 heuristic class; and
6 evaluating a second placement of the data objects made according to the
7 second data placement heuristic.

1 9. (Original) The method of claim 7 further comprising the steps of:
2 selecting a second heuristic class for the system configuration and a
3 second workload;
4 instantiating a second data placement heuristic according to the second
5 heuristic class; and
6 evaluating a second placement of the data objects made according to the
7 second data placement heuristic.

1 10. (Original) The method of claim 5 wherein the step of instantiating the data
2 placement heuristic comprises instantiating the data placement heuristic on an actual
3 distributed storage system operating with an actual workload.

1 11. (Original) The method of claim 10 further comprising the steps of:
2 selecting a second heuristic class for the system configuration and the
3 actual workload;
4 instantiating a second data placement heuristic according to the second
5 heuristic class; and
6 evaluating a second placement of the data objects made according to the
7 second data placement heuristic.

1 12. (Original) The method of claim 1 wherein the performance requirement comprises

Atty. Dkt. No. 200311962-1

2 a data access latency.

1 13. (Original) The method of claim 1 wherein the performance requirement comprises
2 an average data access latency.

1 14. (Original) The method of claim 1 wherein the performance requirement comprises
2 a data access bandwidth.

1 15. (Original) The method of claim 1 wherein the performance requirement comprises
2 a data update time.

1 16. (Original) The method of claim 1 wherein the step of selecting the heuristic class
2 determines a plurality of heuristic parameters.

1 17. (Original) The method of claim 16 wherein the step of instantiating the data
2 placement heuristic instantiates the data placement heuristic according to the heuristic
3 parameters.

1 18. (Original) The method of claim 17 wherein the step of instantiating the data
2 placement heuristic sets other heuristic parameters to defaults.

1 19. (Original) The method of claim 1 wherein the replication cost comprises data
2 storage cost.

1 20. (Original) The method of claim 1 wherein the replication cost comprises a replica
2 creation cost.

1 21. (Original) The method of claim 20 wherein the replication creation cost comprises
2 a network bandwidth cost for transferring replicas and replica changes.

1 22. (Original) The method of claim 20 wherein the replica creation cost comprises a

Atty. Dkt. No. 200311962-1

2 system load cost for running the data placement heuristic.

1 23. (Original) A method of determining data placement for a distributed storage
2 system comprising the steps of:

3 selecting a heuristic class which meets a performance requirement and
4 which provides a replication cost that is within an allowable limit of a
5 minimum replication cost;

6 instantiating a data placement heuristic selected from a range of data
7 placement heuristics according to the heuristic class; and

8 evaluating a placement of data objects onto nodes of the distributed
9 storage system made according to the data placement heuristic.

1 24. (Original) The method of claim 23 wherein the step of instantiating the data
2 placement heuristic comprises simulating instantiation of the data placement
3 heuristic.

1 25. (Original) The method of claim 23 wherein the step of instantiating the data
2 placement heuristic comprises instantiating the data placement heuristic on an actual
3 distributed storage system operating with an actual workload.

1 26. (Original) A method of determining data placement for a distributed storage
2 system comprising the steps of:
3 selecting a heuristic class which meets a performance requirement and
4 which provides a replication cost that is within an allowable limit of a
5 minimum replication cost;
6 instantiating a data placement heuristic selected from a range of data
7 placement heuristics according to the heuristic class;
8 evaluating a placement of data objects onto nodes of the distributed
9 storage system made according to the data placement heuristic; and
10 iteratively performing the steps of selecting the heuristic class,
11 instantiating the data placement heuristic, and evaluating the placement of the

Atty. Dkt. No. 200311962-1

12 data objects.

1 27. (Original) The method of claim 26 wherein second and subsequent performance
2 of the steps of selecting the heuristic class, instantiating the data placement heuristic,
3 and evaluating the placement of the data objects seeks to improve the data placement
4 heuristic.

1 28. (Original) The method of claim 26 wherein second and subsequent performance
2 of the steps of selecting the heuristic class, instantiating the data placement heuristic,
3 and evaluating the placement of the data objects seeks to modify the data placement
4 heuristic to account for a changing workload.

1 29. (Original) A computer readable memory comprising computer code for
2 implementing a method of determining data placement for a distributed storage
3 system, the method of determining the data placement comprising the steps of:
4 selecting a heuristic class which meets a performance requirement and
5 which provides a replication cost that is within an allowable limit of a
6 minimum replication cost; and
7 instantiating a data placement heuristic selected from a range of data
8 placement heuristics according to the heuristic class.

1 30. (Original) A computer readable memory comprising computer code for
2 implementing a method of determining data placement for a distributed storage
3 system, the method of determining the data placement comprising the steps of:
4 selecting a heuristic class which meets a performance requirement and
5 which provides a replication cost that is within an allowable limit of a
6 minimum replication cost;
7 instantiating a data placement heuristic selected from a range of data
8 placement heuristics according to the heuristic class; and
9 evaluating a placement of data objects onto nodes of the distributed
10 storage system made according to the data placement heuristic.

Atty. Dkt. No. 200311962-1

1 31. (Original) A computer readable memory comprising computer code for
2 implementing a method of determining data placement for a distributed storage
3 system, the method of determining the data placement comprising the steps of:
4 selecting a heuristic class which meets a performance requirement and
5 which provides a replication cost that is within an allowable limit of a
6 minimum replication cost;
7 instantiating a data placement heuristic selected from a range of data
8 placement heuristics according to the heuristic class;
9 evaluating a placement of data objects onto nodes of the distributed
10 storage system made according to the data placement heuristic; and
11 iteratively performing the steps of selecting the heuristic class,
12 instantiating the data placement heuristic, and evaluating the placement of the
13 data objects.